

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Product name: Butyl Acetate (Acetic acid n-butyl ester)
CAS Number: 123-86-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Laboratory chemicals, Industrial & for professional use only

1.3 Details of the supplier of the safety data sheet

Company name: East Harbour Group Ltd
20 Clough Road, Severalls Industrial Park
Colchester, Essex, CO4 9QS
United Kingdom

Telephone: +44 (0) 333 242 0100
Email: info@eastharbourgroup.com

1.4 Emergency telephone number

Emergency telephone: 0800 246 1274

Section 2: Hazardous identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Warning



Butyl Acetate

Hazard statement(s)	
H226	Flammable liquid and vapour.
H336	May cause drowsiness or dizziness.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370 + P378	In case of fire: Use dry powder or dry sand to extinguish.
Supplemental Hazard information (EU)	
EUH066	Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 3: Composition/information on ingredients

3.1 Substances

Synonyms:	Butyl acetate
Formula:	C ₆ H ₁₂ O ₂
Molecular weight:	116,16 g/mol
CAS-No.:	123-86-4
EC-No.:	204-658-1
Index-No.:	607-025-00-1

No components need to be disclosed according to the applicable regulations.
For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available



Butyl Acetate

Section 5: Fire-fighting measures

5.1 Fire Fighting Media and Instructions:

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build-up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids



Butyl Acetate

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Section 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls /

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Form: liquid

Odor

Colour: colourless

Odor Threshold

Like fruit

pH

No data available

Melting Point/Freezing Point

6,2 at ca.5 g/l at 20 °C

Melting point/range: -78 °C - lit.



Butyl Acetate

Initial Boiling Point and Boiling Range	124 - 126 °C - lit.
Flash Point	23 °C - closed cup
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or Explosion Limits	Upper explosion limit: 7,6 %(V) Lower explosive limits 1,7 %(V)
Vapor Pressure	20 hPa at 25 °C
Vapor Density	4,01 - (Air = 1.0)
Relative Density	0,878-0.881 g/cm ³ at 20°C
Water Solubility	No data available
Partition Coefficient: n-octanol/water	log Pow: 2,3 at 25 °C
Auto-ignition temperature	415 °C at 1.013 hPa
Decomposition temperature	No data available
Viscosity	0,83 mm ² /s at 20 °C -
Explosive properties	No data available
Oxidizing properties	No data available

9.2 Other safety information

Surface tension	61,3 mN/m at 20 °C
Relative vapour density	4,01 - (Air = 1.0)

Section 10: Stability and Reactivity

10.1 Reactivity	No data available
10.2 Chemical Stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No data available
10.4 Conditions to avoid	Heat, flames and sparks.
10.5 Incompatible materials	Strong oxidizing agents, Strong reducing agents, Strong bases
10.6 Hazardous decomposition products	Other decomposition products - No data available In the event of fire: see section

Section 11: Toxicological Information

Acute toxicity

LD50 Oral - Rat - female - 10.760 mg/kg (OECD Test Guideline 423)
LC50 Inhalation - Rat - male and female - 4 h - > 21 mg/l (OECD Test Guideline 403)
LD50 Dermal - Rabbit - male and female - > 14.112 mg/kg (OECD Test Guideline 402)



Butyl Acetate

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation
(OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Ames test

S. typhimurium

Result: negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC.

Reproductive toxicity

Developmental Toxicity - Rat - Inhalation

No adverse effect has been observed in chronic toxicity tests.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose

Rat - male and female - inhalation (vapour) - NOAEL: 2,4 mg/l toxicity

RTECS: AF7350000

Drowsiness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.



Butyl Acetate

Section 12: Ecological Information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 18 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia (water flea) - 44 mg/l - 48 h

Toxicity to algae

static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - 674,7 mg/l - 72

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d
Result: 83 % - Readily biodegradable (OECD Test Guideline 301D)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic life.

Section 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused

Section 14: Transport Information

14.1 UN number

ADR/RID: 1123

IMDG: 1123

IATA: 1123

14.2 UN proper shipping name

ADR/RID: BUTYL ACETATES

IMDG: BUTYL ACETATES

IATA: Butyl acetates

