

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CAS Number: EC Number: Dibutyl Sebacate 109-43-3 203-672-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:

Laboratory chemicals, Industrial & for professional use only

1.3 Details of the supplier of the safety data sheet

Company name:

East Harbour Group Ltd 20 Clough Road, Severalls Industrial Park Colchester, Essex, CO4 9QS United Kingdom

Telephone: Email: +44 (0) 333 242 0100 info@eastharbourgroup.com

1.4 Emergency telephone number

Emergency telephone:

0800 246 1274

Section 2: Hazardous identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Adverse physicochemical, human health and environmental effects No additional information available

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable

2.3 Other Hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Dibutyl sebacate (109-43-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII



Section 3: Composition/information on ingredients

3.1 Substances Chemical name CAS-No EC-No.

Dibutyl Sebacate 109-43-3 203-672-5

Name	Product identifier	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dibutyl Sebacate (Constituent)	CAS-No.: 109-43-3 EC-No.: 203-672-5 REACH-no: 01-2119970603-36	Not classified

Name	Product identifier	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butanol	CAS-No.: 71-36-3	Flam. Liq. 3, H226
(Impurity)	EC-No.: 200-751-6	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

Section 4: First aid measures

4.1 Description of first aid measures

First-aid measures after inhalation

Take victim to fresh air, in a quiet place and if necessary take medical advice.

First-aid measures after skin contact

Rinse immediately with plenty of water (for at least 15 minutes). Soap may be used.

First-aid measures after eye contact

Immediately flush eyes thoroughly with water for at least 15 minutes.

First-aid measures after ingestion

Give nothing to drink. And. Do not induce vomiting without medical advice. Get immediate medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

No additional information available

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

MATERIAL SAFETY DATA SHEET

DIBUTYL SEBACATE



Section 5: Fire-fighting measures

5.1 Fire Fighting Media and Instructions:

Suitable extinguishing media carbon dioxide (CO2), dry chemical powder, foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture Fire hazard None known.

Hazardous decomposition products in case of fire carbon oxides.

5.3 Advice for firefighters

Protection during firefighting Use normal individual fire protective equipment.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with skin and eyes.

Emergency procedures

Evacuate unnecessary personnel.

Protective equipment

Concerning personal protective equipment to use, see section 8.

6.2 Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up Methods for cleaning up

Recover large spills by pumping (use

Recover large spills by pumping (use an explosion proof or hand pump). If recovery is impossible or if the pools are too small, absorb with: Sand/earth. or. inert absorbent material. Shovel into suitable and closed container for disposal.

6.4 Reference to other sections

Wear personal protective clothing (see chapter 8).

Section 7: Handling and storage

7.1 Precautions for safe handling Precautions for safe handling



Do not drink, eat or smoke in the workplace. Always wash hands after handling the product. Take off immediately all contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in original container. Keep container tightly closed and in a well-ventilated place. Store at ambient temperature.

Storage temperature

5 - 30°C

Heat and ignition sources

Keep away from sources of ignition.

7.3. Specific end use(s)

No additional information available

Section 8: Exposure controls/personal protection

8.1 Control parameters

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2 Exposure controls

8.2.1 Appropriate engineering controls

No specific measures are required provided the product is handled in accordance with the general rules of occupational hygiene and safety.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection Eye protection Safety glasses

eastharbourgroup.com info@eastharbourgroup.com +44 (0)333 242 0100



8.2.2.2. Skin protection Skin and body protection Wear suitable protective clothing. or. Lab coat

Hand protection Wear suitable gloves resistant to chemical penetration (Reg (UE) 2016/425)

8.2.2.3. Respiratory protection Respiratory protection

No special protection required.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state
Colour
Appearance
Odour
Melting point
Boiling point
Explosive properties
Oxidising properties
Auto-ignition temperature
Viscosity, kinematic
Solubility
Partition coefficient n-octanol/water (Log Pow)
Vapour pressure
Density
Particle characteristics

Liquid Colourless. Oily consistency. slight. $< -15 \,^{\circ}C$ $344,5 \,^{\circ}C$ (Lit.) Product is not explosive. (Lit.). Non oxidizing material according to EC criteria. (Lit.). $365 \,^{\circ}C$ (Lit.) $4 - 7 \,\text{mm}^2/\text{s}$ ($25 \,^{\circ}C$) Insoluble. 6,3 (calculated value) $\approx 0,6 \,\text{mPa}$ (calculated value) (Lit.) $0,934 - 0,94 \,\text{g/cm}^3$ ($20 \,^{\circ}C$) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes No additional information available

9.2.2. Other safety characteristics Other properties Not highly inflammable in contact with water, not pyrophoric (Lit.)

Section 10: Stability and Reactivity

10.1. Reactivity

No additional information available

MATERIAL SAFETY DATA SHEET

DIBUTYL SEBACATE



10.2. Chemical stability No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

Section 11: Toxicological Information

11.1 Toxicological effects:

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Dibutyl sebacate (109-43-3)	
LD50 oral rat	> 4700 mg/kg bodyweight (Lit.)
LD50 dermal rabbit	> 7940 mg/kg (Results obtained on a similar product) (Lit.)
LC50 Inhalation - Rat	> 3,2 mg/l (Results obtained on a similar product) (Lit.)
Dibutyl sebacate (109-43-3)	
LD50 oral rat	> 4700 mg/kg bodyweight (Lit.)
LD50 dermal rabbit	> 7940 mg/kg (Results obtained on a similar product) (Lit.)
LC50 Inhalation - Rat	> 3,2 mg/l (Results obtained on a similar product) (Lit.)
Butanol (71-36-3)	
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation	Not irritating. (Lit.)
Serious eye damage/irritation	Not irritating to eyes. (Lit.)
Respiratory or skin sensitisation	Not sensitizing. (Results obtained on a similar product). (Lit.)
Germ cell mutagenicity	Not mutagenic (AMES Test). (Lit.)
Carcinogenicity	No data available
Reproductive toxicity	NOAEL reproduction >= 1 000 mg/kg bw (rat) (results obtained on a similar product) (Lit.).
	NOAEL development >= 1 000 mg/kg bw (rat) (results obtained on a similar product) (Lit.)
STOT- single exposure	Not classified

Butanol (71-36-3)	
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.
STOT-repeated exposure	Not classified
Dibutyl sebacate (109-43-3)	
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight/day (Results obtained on a similar product) (Lit.)
Dibutyl sebacate (109-43-3)	
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight/day (Results obtained on a similar product) (Lit.)
Aspiration hazard	Not classified



Dibutyl sebacate (109-43-3)	
Viscosity, kinematic	4 - 7 mm²/s (25°C)
Dibutyl sebacate (109-43-3)	
Viscosity, kinematic	8,4 mm²/s (25°C)

11.2 information on other hazards:

No additional information available

Section 12: Ecological Information

12.1 Toxicity

Dibutyl sebacate (109-43-3)	
LC50 - Fish [1]	> 10000 mg/l (96h) (Danio rerio) (Lit.)
EC50 - Crustacea [1]	1000 mg/l (48h) (Daphnia Magna) (Results obtained on a similar product) (Lit.)
ErC50 algae	> 1000 mg/l (72h) (Desmodesmus subspicatus) (Results obtained on a similar product) (Lit.)
NOEC (additional information)	Earthworm (14d): NOEC > 1 000 mg/kg soil dw (Eisenia fetida) (Results obtained on a similar product) (Lit.)
Dibutyl sebacate (109-43-3)	
LC50 - Fish [1]	> 10000 mg/l (96h) (Danio rerio) (Lit.)
EC50 - Crustacea [1]	1000 mg/l (48h) (Daphnia Magna) (Results obtained on a similar product) (Lit.)
ErC50 algae	> 1000 mg/l (72h) (Desmodesmus subspicatus) (Results obtained on a similar product) (Lit.)
NOEC (additional information)	Earthworm (14d) : NOEC > 1 000 mg/kg soil dw (Eisenia fetida) (Results obtained on a similar product) (Lit.)

12.2 Persistence and degradability

Readily biodegradable.
97 % after 28 days(Results obtained on a similar product)
Readily biodegradable.
97 % after 28 days(Results obtained on a similar product)

12.3. Bioaccumulative potential

Dibutyl sebacate (109-43-3)	
Partition coefficient n-octanol/water (Log Pow)	6,3 (calculated value)
Dibutyl sebacate (109-43-3)	
Partition coefficient n-octanol/water (Log Pow)	6,3 (calculated value)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Dibutyl sebacate (109-43-3)

This sub	stance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This sub	stance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	



Component			
Dibutyl sebacate (109-43-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

Section 13: Disposal considerations

13.1 Waste treatment methods

No additional information available

Section 14: Transport Information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or	[·] ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shi	pping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport haz	ard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	0			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmenta	l hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary in	formation available.			

14.6. Special precautions for user Overland transport No data available

Transport by sea No data available

Air transport No data available

Inland waterway transport No data available



Rail transport No data available

14.7. Maritime transport in bulk according to IMO instruments Not applicable

Section 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-Regulations

REACH Annex XVII (Restriction List) Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List) Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC) Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent) Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

As the criteria for classification listed in article 14 of REACH and the criteria for PBT/vPvB are not met, no exposure scenarios are required.

Section 16: Other Information

Full text of H- and EUH-statements:

MATERIAL SAFETY DATA SHEET

DIBUTYL SEBACATE



Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity - Single exposure, Category 3, Narcosis